

A new chapter for every room.

PORTE DA INTERNO

Design, texture and detail. A collection of interior doors for coordinated spaces.

Classic / Contemporary / Essential Solid and glazed model options



Doors

Interior doors / Design collections / Finishes & details

COLLECTION 03

SPIER-IN / COLLECTION

Choose your interior character.

01	The interior door collection	03
02	Classic / Model gallery	04
03	Contemporary / Model gallery	14
04	Essential / Model gallery	23
05	Finishes & colours	28
06	Construction / WPC & PVC benefits	29
07	Dimensions / Glazing / Special heights	32
08	Fire-rated project option	34
09	Hardware & project specification	35



Three families. One interior.

CLASSIC / CONTEMPORARY / ESSENTIAL



Classic

Moulded details, textured surfaces and glass-panel variations.



Contemporary

Clean surfaces, graphic lines and contrasting accents.



Essential

Restrained geometry and coordinated project models.

Designed for indoor use. Model imagery shows selected finishes; final colour, glazing, handing and dimensions are agreed for each order.

Timeless forms. New possibilities.

PANNELLI MODELLATI / TEXTURE / VARIANTI VETRATE

Classic

PVC-faced leaves on a timber perimeter structure, with a kraft honeycomb or semi-solid core. Decorative profiles range from simple panels to more articulated designs.

CONSTRUCTION

2 mm PVC facing with 0.2 mm decorative PVC foil. Interior use; care and exposure conditions are confirmed for the selected product.

Photographs show sample interiors. This collection is for interior doors; exterior use is outside the supplied product scope.



Reference photograph with reconstructed lower framing.

Classic / Model selection

CLASSIC / MODELLI



SI-C100



SI-C101



SI-C103

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C106



SI-C106YK




SI-C200

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C250



SI-C300




SI-C301

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C330



SI-C331



SI-C350

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C351



SI-C360




SI-C410

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection


CLASSIC / MODELLI



SI-C411



SI-C412



SI-C500

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C700



SI-C800



SI-C1103-R


AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection


CLASSIC / MODELLI



SI-C1122-R



SI-C1132




SI-C1134


AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Classic / Model selection

CLASSIC / MODELLI



SI-C1500



SI-C2000



SI-C2100

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Clean lines. Individual details.

LINEE CONTEMPORANEE / INSERTI / CONTRASTI

Contemporary

A contemporary selection with smooth designs, linear accents and glazed alternatives. MDF-faced leaves are combined with a timber perimeter structure.

CONSTRUCTION

6 mm MDF facing with 0.2 mm PVC foil. Water and moisture resistance stated for this family applies to frame and architraves, not the complete leaf.

Photographs show sample interiors. This collection is for interior doors; exterior use is outside the supplied product scope.



Reference photograph with reconstructed lower framing.

Contemporary / Model selection

CONTEMPORARY / MODELLI



SI-L3000



SI-L3003



SI-L3006

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection

CONTEMPORARY / MODELLI



SI-L3122-R



SI-L3202



SI-L3202-3


AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection

CONTEMPORARY / MODELLI



SI-L3203



SI-L3203-3



SI-L3209


AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection


CONTEMPORARY / MODELLI



SI-L3209-3



SI-L3223



SI-L3223-3

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection


CONTEMPORARY / MODELLI



SI-L3232



SI-L3232-3




SI-L3268


AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection


CONTEMPORARY / MODELLI



SI-L3286



SI-L3290




SI-L3290-3

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection

CONTEMPORARY / MODELLI



SI-L3386



SI-L3390



SI-L3430-33

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Contemporary / Model selection

CONTEMPORARY / MODELLI



SI-L3430-34



SI-L3430-84



SI-L3430-85

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Quiet design. Everyday spaces.

GEOMETRIE ESSENZIALI / PORTE PER PROGETTI

Essential

A restrained collection for coordinated interior schemes. Solid and glazed alternatives share a simple architectural language. Selected models form a dedicated project range.

CONSTRUCTION

6 mm MDF facing with 0.2 mm PVC foil. Water and moisture resistance stated for this family applies to frame and architraves, not the complete leaf.

Photographs show sample interiors. This collection is for interior doors; exterior use is outside the supplied product scope.



Conceptual home setting based on the reference door.

Essential / Model selection


ESSENTIAL / MODELLI



SI-E7010



SI-E7011



SI-E7040

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Essential / Model selection

ESSENTIAL / MODELLI



SI-E7050



SI-E7060



SI-E7061

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Essential / Model selection

ESSENTIAL / MODELLI



SI-E7300



SI-E7400



SI-E7403

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Essential / Model selection

ESSENTIAL / MODELLI



SI-E7500



SI-E7750

AI-restored product illustration / original details require confirmation / model, finish and glazing confirmed per order.

Colour brings the design together.

FINITURE E COLORI / DISPONIBILITA PER FAMIGLIA

Classic



SN Gray




Magic Stone



Magic Vison



Tobacco



Leather White



Cobalt Gray



White Maple



Teak



Dark Walnut



White Teak

Contemporary




Light Oak



Dark Oak



Matte Coco



ML. White



Matte Marron




P. Oak



Green Teak

Essential



ML. White



White Maple



Magic Sahra



Magic Stone



Magic Vison



SN Gray

Selected models also list Textured White, Argento Mix and mixed effects (Classic), or SN Gray (Contemporary). Gold Walnut is restricted to SI-E7750. Finish availability varies by model; approve a physical sample.

Inside the leaf.

STRUTTURA DELL'ANTA / MATERIALI

FAMILY	PERIMETER	FACING	CORE
Classic	Timber perimeter frame	2 mm PVC + 0.2 mm PVC foil	Kraft honeycomb or semi-solid
Contemporary	Timber perimeter frame	6 mm MDF + 0.2 mm PVC foil	Kraft honeycomb or semi-solid
Essential	Timber perimeter frame	6 mm MDF + 0.2 mm PVC foil	Kraft honeycomb or semi-solid

WPC FRAMES & ARCHITRAVES

A wood-polymer composite surround, finished with decorative PVC foil: a robust, moisture-resistant frame with coordinated architraves. Discover the material benefits on the following pages.

The source standard leaf section is shown as 39 mm. The separate fire-rated option uses a different 47 mm leaf and specific components.

A stronger surround for everyday life.

CASSE E COPRIFILI IN WPC / QUALITÀ CHE FANNO LA DIFFERENZA

The frame is more than a finishing detail: it supports the door, receives the hardware and completes the opening. WPC combines wood particles with a polymer matrix to create a rigid composite profile, finished with decorative PVC foil.

Water & moisture resistance

The composite frame and architraves resist water and humidity. A practical advantage for interior bathroom and kitchen doorways, where the surround needs to cope with everyday moisture.

Everyday surface protection

The finished composite profiles are designed to withstand normal handling and everyday contact. Their resistance to minor impacts and surface wear helps preserve a well-kept appearance.

A coordinated architectural finish

Frame and architraves can be matched to the selected leaf finish. Wood effects, solid colours and contrasting combinations bring consistency to the complete doorway.

For standard interior frames and architraves. Moisture resistance does not make an MDF-faced leaf waterproof. Fire-rated assemblies may use dedicated MDF surrounds. Choose the complete door for its intended exposure.

A rigid, durable profile

The wood-polymer combination provides a robust surround. Its resistance to moisture helps limit the swelling and distortion associated with moisture-sensitive frame materials.

Precision at the opening

Profiled components and accurately machined joints support a neat frame assembly. Correct installation, fixing and hardware adjustment complete the quality of the system.

Less routine upkeep

Factory-finished profiles do not require routine painting or varnishing. Simple cleaning keeps the surround presentable, reducing the effort needed to care for it.

A beautiful finish. Easier to live with.

RIVESTIMENTO IN PVC / ESTETICA, PROTEZIONE E PRATICITA

Decorative PVC foil gives the door its colour, texture and finished surface. Applied in the factory to the selected substrate, it creates a coordinated finish across the leaf, frame and architraves, with a choice of contemporary colours and warm wood effects.

Ready-finished, without repainting

The decorative surface arrives finished. There is no routine need to sand, paint or varnish it, making day-to-day care simpler than a finish that needs periodic repainting.

A protective decorative layer

The PVC foil covers the underlying facing and provides the surface used every day. It helps protect the finish during normal use; avoid sharp objects and abrasive cleaning products.

Consistent detailing

Factory application follows the selected flat or moulded design. Coordinated frame, architrave and leaf finishes create a complete doorway with a considered, consistent appearance.

Straightforward cleaning

A soft cloth, lightly dampened with water and a mild detergent, is normally sufficient for routine cleaning. Wipe dry afterwards to keep the surface and its joints in good condition.

Colour, texture and design freedom

Wood-grain effects and solid colours offer different interior characters. Coordinated surfaces make it easier to match the door to flooring, furniture and other architectural finishes.

The right finish on the right core

Classic uses a 2 mm PVC facing with 0.2 mm decorative foil. Contemporary and Essential use 6 mm MDF with 0.2 mm foil. The finished look can be coordinated while the underlying construction differs.

CARE / Use mild, non-abrasive products; avoid solvents and soaking. PVC foil does not waterproof an MDF core. These are interior doors: exposure, finish and cleaning instructions are confirmed for the selected model.

Dimensions at a glance.

MISURE / RIEPILOGO

Leaf widths

650 / 700 / 750 / 800 / 850 / 900 mm

Standard leaf height

2030 mm

Standard frame outside height

2073 mm

Frame outside width = leaf width + 55 mm in the source table. Select wall depth, trim and installation allowance for the project. Final dimensions are confirmed on the order drawing.

Light, height and project detail.

VARIANTI VETRATE / ALTEZZE SPECIALI



SI-C106



SI-L3006



SI-E7403

Glazed model options

Glass-panel designs appear across the three families. Glass type, safety requirements, opacity and any decorative insert are specified for the chosen model.

Special height options / 210 - 215 - 220 cm

Listed for Classic SI-C100, SI-C330, SI-C410, SI-C500, SI-C2000, SI-C2100, SI-C1134, SI-C1122-R and SI-C1132. Confirm the measurement reference and model availability before ordering.

A dedicated door assembly.

PORTA TAGLIAFUOCO / OPZIONE SU PROGETTO

30-minute option

The supplied catalogue presents a fire-rated interior door option with a nominal 30-minute performance. Supply is subject to the specific tested assembly and the required project documentation.

LEAF & SURROUND

47 mm leaf with dedicated fire-resistant core; MDF frame, architraves and leaf finished with PVC foil.

ASSEMBLY COMPONENTS

Concealed hinge, closer, automatic drop seal and dedicated perimeter seals; cylinder or card-lock options.



The source does not supply the test report or complete classification here. Confirm the applicable classification, approved dimensions, hardware and installation details. A material reaction-to-fire class is not a door fire-resistance rating.

The detail you use every day.

MANIGLIE / CERNIERE / SERRATURE

Handles & handing	Confirm handle style and finish, lock preparation and the required opening side.
Hinges	Use the hinge arrangement compatible with the leaf, frame and intended application.
Locks & access	The source fire-rated option includes cylinder or card-lock alternatives; specify them with the approved assembly.
Closing & seals	Concealed closer, automatic drop seal and fire-related perimeter seals are shown for the dedicated fire-rated option.

Accessory availability and compatibility depend on the selected model. Hardware shown or mentioned for a fire-rated assembly is not automatically standard on every door.

Your door. Defined clearly.

SCELTA / ORDINE / INSTALLAZIONE

DEFINE	INFORMATION FOR THE ORDER
Design	SPIER-IN illustration code / finish sample / solid or glazed leaf
Dimensions	Leaf size / frame outside / wall depth / trim / installation opening
Operation	Opening side / hinge side / handle and lock / clear passage
Performance	Interior use / exposure / project requirements / fire documentation if applicable
Supply scope	Leaf / frame / architraves / hardware / glazing / installation scope

Delivery & installation

Keep components protected and horizontally supported on a level base. Avoid direct sun, wind and water. Fit and adjust the frame, leaf, hinges, lock and trims according to the selected product installation instructions.

Product configurations and finishes require supplier confirmation. The source dates from 2024; this catalogue is a design proof, not a current stock list or installation manual.

Let's make your interior complete.

Share your door schedule, dimensions and finish preferences. We will coordinate the models and details for your project.

www.spierin.com

info@spierin.com

+39 333 1978 381

For interior applications. Models, dimensions, finishes, performance and supply scope are confirmed for the selected product. Design proof pending final supplier validation.

